

Social Distancing Excepons List - With Compensating Controls								
Campus	Course	Building	Room	# Registered	Occupancy Level with Social Distancing	Reason	CRN	Compensating Contols?
Cochran	BIO1010L	Dillard	130	22	34	Lab*		Various Controls - See Below**
Cochran	BIO3360L	Dillard	89	4	8	Lab		Various Controls - See Below**
Cochran	BIO4530L	Dillard	90	3	12	Lab		Various Controls - See Below**
Cochran	BIO1001L	Dillard	129	21	16	Lab		Various Controls - See Below**
Cochran	BIO3540L	Dillard	89	9	8	Lab		Various Controls - See Below**
Cochran	BIO2107L	Dillard	129	10	16	Lab		Various Controls - See Below**
Cochran	BIO1114L	Dillard	81	24	8	Lab		Various Controls - See Below**
Cochran	BIO1002L	Dillard	89	24	8	Lab		Various Controls - See Below**
Cochran	BIO1124L	Dillard	81	22	8	Lab		Various Controls - See Below**
Cochran	BIO1134L	Dillard	89	23	8	Lab		Various Controls - See Below**
Cochran	BIO1134L	Dillard	89	24	8	Lab		Various Controls - See Below**
Cochran	BIO1001L	Dillard	129	24	16	Lab		Various Controls - See Below**
Cochran	BIO1114L	Dillard	81	24	8	Lab		Various Controls - See Below**
Cochran	BIO1001L	Dillard	129	24	16	Lab		Various Controls - See Below**
Cochran	BIO1001L	Dillard	129	24	16	Lab		Various Controls - See Below**
Cochran	CHEM1212L	Dillard	98	13	16	Lab		Various Controls - See Below**
Cochran	CHEM1152L	Dillard	90	21	12	Lab		Various Controls - See Below**
Cochran	CHEM1211L	Dillard	98	18	16	Lab		Various Controls - See Below**
Cochran	CHEM1211L	Dillard	98	9	16	Lab		Various Controls - See Below**
Cochran	CHEM1211L	Dillard	98	19	16	Lab		Various Controls - See Below**
Cochran	PHYS1012L	Dillard	241	12	18	Lab		Various Controls - See Below**
Cochran	PHYS2211L	Dillard	241	6	18	Lab		Various Controls - See Below**
Cochran	RHAB3000	Morris Gym	4	18	15	Space Limitations	81362	Barrier shield in place in front of faculty.
Cochran	OCTA1211	Alderman		26		Space Limitations	80253	Barrier shield in place in front of faculty.
Cochran	OCTA2323	Alderman		26		Space Limitations	80248	Barrier shield in place in front of faculty.
Cochran	OCTA2110	Alderman		25		Space Limitations	80249	Barrier shield in place in front of faculty.

Social Distancing Excepons List - With Compensating Controls

Campus	Course	Building	Room	# Registered	Occupancy Level with Social Distancing	Reason	CRN	Compensating Contols?
Cochran	Nursing Labs	Alderman				Lab		Barrier shield in place in front of faculty & dept provided clear face shields for student use.
Dublin	NURS 1500	SLC-LIB107	107	67	31	Space Limitations	80998	Barrier shield in place in front of faculty & dept provided clear face shields for student use.
Dublin	NURS 1510	SLC-LIB107	107	58	31	Space Limitations	80999	Barrier shield in place in front of faculty & dept provided clear face shields for student use.
Dublin	NURS 2500	SLC-LIB107	107	35	31	Space Limitations	81180	Barrier shield in place in front of faculty & dept provided clear face shields for student use.
Dublin	ENGL 1101	LIB	202	24	17	Space Limitations	80683	Barrier shield in place in front of faculty.
Dublin	BIO1002L	DC_Dublin	110	15	14	Lab		Various Controls - See Below**
Dublin	BIO1001L	DC_Dublin	221	16	7	Lab		Various Controls - See Below**
Dublin	BIO1001L	DC_Dublin	221	21	7	Lab		Various Controls - See Below**
Dublin	CHEM1151L	DC_Dublin	228	12	4	Lab		Various Controls - See Below**
Dublin	Nursing labs	DC_Dublin				Lab		Barrier shield in place in front of faculty & dept provided clear face shields for student use.
Eastman	All Flight Labs					Space		Cannot social distance in a cockpit, nor can they wear face shields. Extra disinfecting/cleaning practices in place.
Eastman	AMTP2020	GAAVIA	1122	21	12	Ext & Space	80319	Clear face shields provided to faculty & staff.
Eastman	AMTP2060	GAAVIA	1122	21	12	Ext & Space	80325	Clear face shields provided to faculty & staff.
Eastman	AMTP1030	GAAVIA	1139	28	12	Ext & Space	80314	Clear face shields provided to faculty & staff.
Eastman	AMTP1030	GAAVIA	1139	27	12	Ext & Space	82285	Clear face shields provided to faculty & staff.
Eastman	AMTP2010	GAAVIA	1139	27	12	Ext & Space	82287	Clear face shields provided to faculty & staff.

Social Distancing Excepons List - With Compensating Controls								
Campus	Course	Building	Room	# Registered	Occupancy Level with Social Distancing	Reason	CRN	Compensating Contols?
Eastman	AMTP2040	GAAVIA	1141	18	12	Ext & Space	80321	Clear face shields provided to faculty & staff.
Eastman	AMTP2210	GAAVIA	1141	18	12	Ext & Space	80327	Clear face shields provided to faculty & staff.
Eastman	AMTP2280	GAAVIA	1141	22	12	Ext & Space	80338	Clear face shields provided to faculty & staff.
Eastman	AMTP2067	GAAVIA	1143	22	12	Ext & Space	80324	Clear face shields provided to faculty & staff.
Eastman	AMTP2068	GAAVIA	1143	21	12	Ext & Space	80326	Clear face shields provided to faculty & staff.
Eastman	AMTP2069	GAAVIA	1143	18	12	Ext & Space	82288	Clear face shields provided to faculty & staff.
Eastman	AMTP2070	GAAVIA	1143	21	12	Ext & Space	80336	Clear face shields provided to faculty & staff.
Eastman	AMTP2010	GAAVIA	1145	27	12	Ext & Space	80318	Clear face shields provided to faculty & staff.
Eastman	AMTP2270	GAAVIA	1145	21	12	Ext & Space	80337	Clear face shields provided to faculty & staff.
Eastman	AMTP2270	GAAVIA	1145	17	12	Ext & Space	82283	Clear face shields provided to faculty & staff.
Eastman	AMTP1010	GAAVIA	1148	28	12	Ext & Space	81639	Clear face shields provided to faculty & staff.
Eastman	AMTP1010	GAAVIA	1148	27	12	Ext & Space	82284	Clear face shields provided to faculty & staff.
Eastman	AMTP2250	GAAVIA	1148	21	12	Ext & Space	80335	Clear face shields provided to faculty & staff.
Eastman	AMTP1210	GAAVIA	1150	27	12	Ext & Space	80315	Clear face shields provided to faculty & staff.
Eastman	AMTP1210	GAAVIA	1150	27	12	Ext & Space	82286	Clear face shields provided to faculty & staff.
Eastman	AMTP2230	GAAVIA	1150	21	12	Ext & Space	80334	Clear face shields provided to faculty & staff.
Eastman	AMTP2230	GAAVIA	1150	17	12	Ext & Space	82282	Clear face shields provided to faculty & staff.
Macon	BIO1002L	Jones	241	24	18	Lab		Various Controls - See Below**

Social Distancing Excepons List - With Compensating Controls								
Campus	Course	Building	Room	# Registered	Occupancy Level with Social Distancing	Reason	CRN	Compensating Contols?
Macon	BIO1114L	Jones	249	30	12	Lab		Various Controls - See Below**
Macon	BIO1124L	Jones	252	28	16	Lab		Various Controls - See Below**
Macon	BIO1134L	Jones	345	20	12	Lab		Various Controls - See Below**
Macon	BIO2107L	Jones	341	19	12	Lab		Various Controls - See Below**
Macon	BIO2108L	Jones	341	22	12	Lab		Various Controls - See Below**
Macon	BIO3104L	Jones	241	24	18	Lab		Various Controls - See Below**
Macon	BIO3310L	Jones	341	21	12	Lab		Various Controls - See Below**
Macon	BIO3510L	Jones	341	12	12	Lab		Various Controls - See Below**
Macon	BIO3540L	Jones	345	23	12	Lab		Various Controls - See Below**
Macon	BIO4110L	Jones	244	24	19	Lab		Various Controls - See Below**
Macon	BIO4321L	Jones	249	4	12	Lab		Various Controls - See Below**
Macon	BIO4324L	Jones	241	17	18	Lab		Various Controls - See Below**
Macon	BIO1002L	Jones	241	23	18	Lab		Various Controls - See Below**
Macon	BIO1114L	Jones	249	29	12	Lab		Various Controls - See Below**
Macon	BIO1124L	Jones	252	20	16	Lab		Various Controls - See Below**
Macon	BIO1134L	Jones	345	11	12	Lab		Various Controls - See Below**
Macon	BIO2107L	Jones	341	17	12	Lab		Various Controls - See Below**
Macon	BIO3104L	Jones	241	13	18	Lab		Various Controls - See Below**
Macon	BIO3310L	Jones	341	16	12	Lab		Various Controls - See Below**
Macon	BIO1001L	Jones	244	24	19	Lab		Various Controls - See Below**
Macon	BIO1124L	Jones	252	13	16	Lab		Various Controls - See Below**
Macon	BIO1002L	Jones	241	24	18	Lab		Various Controls - See Below**
Macon	BIO1124L	Jones	252	28	16	Lab		Various Controls - See Below**
Macon	BIO1134L	Jones	345	10	12	Lab		Various Controls - See Below**
Macon	BIO1114L	Jones	249	15	12	Lab		Various Controls - See Below**
Macon	BIO1001L	Jones	244	22	19	Lab		Various Controls - See Below**
Macon	BIO1002L	Jones	241	24	18	Lab		Various Controls - See Below**
Macon	BIO1001L	Jones	244	24	19	Lab		Various Controls - See Below**
Macon	BIO1001L	Jones	244	19	19	Lab		Various Controls - See Below**

Social Distancing Excepons List - With Compensating Controls								
Campus	Course	Building	Room	# Registered	Occupancy Level with Social Distancing	Reason	CRN	Compensating Contols?
Macon	BIO1001L	Jones	244	23	19	Lab		Various Controls - See Below**
Macon	BIO1001L	Jones	244	18	19	Lab		Various Controls - See Below**
Macon	BIO1001L	Jones	244	19	19	Lab		Various Controls - See Below**
Macon	BIO1001L	Jones	244	22	19	Lab		Various Controls - See Below**
Macon	CHEM1151L	Jones	352	23	8	Lab		Various Controls - See Below**
Macon	CHEM1211L	Jones	348	21	8	Lab		Various Controls - See Below**
Macon	CHEM2211L	Jones	352	24	8	Lab		Various Controls - See Below**
Macon	CHEM1211L	Jones	348	24	8	Lab		Various Controls - See Below**
Macon	CHEM1151L	Jones	352	21	8	Lab		Various Controls - See Below**
Macon	CHEM1211L	Jones	348	20	8	Lab		Various Controls - See Below**
Macon	CHEM1151L	Jones	352	21	8	Lab		Various Controls - See Below**
Macon	CHEM1211L	Jones	348	19	8	Lab		Various Controls - See Below**
Macon	ENGR1001L	Jones	281	15	12	Lab		Various Controls - See Below**
Macon	PHYS1011L	Jones	281	19	12	Lab		Various Controls - See Below**
Macon	PHYS1112L	Jones	281	12	12	Lab		Various Controls - See Below**
Macon	PHYS2211L	Jones	281	16	12	Lab		Various Controls - See Below**
Macon	PHYS2212L	Jones	281	12	12	Lab		Various Controls - See Below**
Macon	PHYS1111L	Jones	281	17	12	Lab		Various Controls - See Below**
Macon	Nursing labs	Jones	149			Lab		Barrier shield in place in front of faculty & dept provided clear face shields for student use.
Macon	Nursing labs	Jones	151			Lab		Barrier shield in place in front of faculty & dept provided clear face shields for student use.
Macon	Nursing labs	Jones	155			Lab		Barrier shield in place in front of faculty & dept provided clear face shields for student use.
WR	NURS 3115	Oak Hall - WRC3-215	215	78	24	Space	82299	Barrier shield in place in front of faculty & dept provided clear face shields for student use.

Social Distancing Exceptions List - With Compensating Controls

Campus	Course	Building	Room	# Registered	Occupancy Level with Social Distancing	Reason	CRN	Compensating Contols?
<p>**MGA has various safety controls in Labs in place of social distancing; plexiglass barriers in front of faculty, disposable lab gowns for some courses, face shields for students in some courses, eye protection, disinfecting solution for additional cleaning, signage to encourage student traffic flow in/out and within the lab. Students can discuss the specific controls in place in their lab with their lab instructor.</p>								